· Search history

				som
L Number	Hits	Search Text	DB	Time <b>3</b> tamp
2	0	@pd<20010101 and status same unread same	USPAT;	2003/10/20
		(modify or change) and email	US-PGPUB;	15:07
			EPO; JPO;	
			DERWENT;	
1	10	<pre>@pd&lt;20010101 and status same unread same</pre>	IBM_TDB USPAT;	2003/10/20
*	10	(modify or change)	USPAT; US-PGPUB;	14:53
		,	EPO; JPO;	13.55
			DERWENT;	
			IBM_TDB	
3	102	status same unread same read and (modify	USPĀT;	2003/10/20
		or change)	US-PGPUB;	14:55
			EPO; JPO;	
			DERWENT;	
4	o	status same "read to unread" and (modify	IBM_TDB USPAT;	2003/10/20
'		or change)	US-PGPUB;	14:55
		9-1	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	0	status and "read to unread" and (modify	USPAT;	2003/10/20
		or change)	US-PGPUB;	14:55
			EPO; JPO; DERWENT;	
			IBM TDB	
6	1	@pd<20020101 and change adj status same	USPAT;	2003/10/20
'	_	read same unread	US-PGPUB;	14:56
			EPO; JPO;	
			DERWENT;	
1.0		0-4-20010101	IBM_TDB	2002/10/22
12	0	@pd<20010101 and email and "unread   status"	USPAT;	2003/10/20 15:07
		scacus	US-PGPUB; EPO; JPO;	13:07
			DERWENT;	
1			IBM TDB	
13	0	@pd<20010101 and email and unread adj	USPAT;	2003/10/20
		flag	US-PGPUB;	15:08
1			EPO; JPO;	
			DERWENT; IBM TDB	
15	1	@pd<20010101 and mail and unread adj flag		2003/10/20
	]	- opening and mark and anticad adjustage	US-PGPUB;	15:09
			EPO; JPO;	
			DERWENT;	
		0.1.00010101	IBM_TDB	2002/10/22
16	0	@pd<20010101 and unread adj documen\$ and	USPAT;	2003/10/20
		list and set adj flag	US-PGPUB; EPO; JPO;	15:10
			DERWENT;	
			IBM_TDB	
17	170	@pd<20010101 and mail adj list	USPĀT;	2003/10/20
			US-PGPUB;	15:17
			EPO; JPO;	
]			DERWENT; IBM TDB	
18	522	@pd<20010101 and \$mail\$ adj list	USPAT;	2003/10/20
"		cpa-20010101 and quality adj 1150	US-PGPUB;	15:17
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
19	82	@pd<20010101 and \$mail\$ adj list and	USPAT;	2003/10/20
		notify	US-PGPUB;	15:17
			EPO; JPO; DERWENT;	
			IBM TDB	
21	62	@pd<20010101 and \$mail\$ adj list and	USPAT;	2003/10/20
1	[	notify and (unread or update)	US-PGPUB;	15:18
			EPO; JPO;	
			DERWENT;	
		<u> </u>	IBM_TDB	1

Page 1

Search History 10/20/03 3:52:54 PM

7	<pre>@pd&lt;20010101 and \$mail\$ adj list and notify and unread</pre>	USPAT; US-PGPUB;	2003/10/20 15:18
		DERWENT; IBM_TDB	
890	709/204.ccls.	USPAT; US-PGPUB; EPO; JPO;	2003/10/17 15:33
1216	709/201 ccls	DERWENT; IBM_TDB	2003/10/17
1210	7037201.0013.	US-PGPUB; EPO; JPO;	15:33
2138	709/217.ccls.	IBM_TDB USPAT; US-PGPUB;	2003/10/17 15:33
1667	709/227.ccls.	DERWENT; IBM_TDB USPAT;	2003/10/17
		US-PGPUB; EPO; JPO; DERWENT;	15:34
7	<pre>@pd&lt;20010101 and user adj status and groupware</pre>	USPAT; US-PGPUB;	2003/10/17 15:54
1	<b></b>	DERWENT; IBM_TDB USPAT;	2003/10/17
	status and groupware	EPO; JPO; DERWENT;	15:54
7	<pre>@pd&lt;20010101 and users and user adj status and groupware</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/17 15:54
7	<pre>@pd&lt;20010101 and users and user and user adj status and groupware</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/10/17 15:59
107	<pre>@pd&lt;20010101 and indicat\$ adj user adj status</pre>	IBM_TDB USPAT; US-PGPUB;	2003/10/17 15:59
		DERWENT; IBM_TDB	2003/10/17
10	status and user and users and window	US-PGPUB; EPO; JPO; DERWENT;	16:00
4	<pre>@pd&lt;20010101 and user adj status and users same groupware and display and status near indicat\$</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/20 09:36
4	<pre>@pd&lt;20010101 and user adj status and users same groupware and display and status near indicat\$ and user adj status</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/10/20 09:03
3733	-	DERWENT; IBM_TDB USPAT;	2003/10/20
3,33	users same groupware and display and status near indicat; near user or (user near status)	US-PGPUB; EPO; JPO; DERWENT;	09:37
	1216 2138 1667 7 1 1 7 107 4 4	notify and unread  890 709/204.ccls.  1216 709/201.ccls.  2138 709/217.ccls.  2138 709/227.ccls.  7 @pd<20010101 and user adj status and groupware  1 @pd<20010101 and user and users adj status and groupware  7 @pd<20010101 and users and user adj status and groupware  107 @pd<20010101 and users and user and user adj status and groupware  107 @pd<20010101 and indicat\$ adj user adj status  10 @pd<20010101 and indicat\$ adj user adj status and users and use	### Notify and unread

Search History 10/20/03 3:52:54 PM Page 2

	,			
-	0	<pre>@pd&lt;20010101 and user adj status and users same groupware and display and</pre>	USPAT; US-PGPUB;	2003/10/20 09:37
		status near indicat\$ near user and (user	EPO; JPO;	09.37
	ł	near status)	DERWENT;	
			IBM_TDB	
-	4	@pd<20010101 and user adj status and	USPAT;	2003/10/20
		users same groupware and display and status near indicat\$ and (user near	US-PGPUB; EPO; JPO;	11:10
		status)	DERWENT;	
		,	IBM TDB	
-	66	•• ·· - · · - · · - · · · · · · · · · ·	USPAT;	2003/10/20
		network and database and manager and	US-PGPUB;	11:10
		operation	EPO; JPO; DERWENT;	
			IBM TDB	
-	45	<pre>@pd&lt;20010101 and user adj status and</pre>	USPAT;	2003/10/20
		network and database and manager and	US-PGPUB;	11:10
		operation and server	EPO; JPO;	
			DERWENT; IBM TDB	:
-	0	@pd<20010101 and "not read" and user adj	USPAT;	2003/10/20
		status and mail	US-PGPUB;	13:30
1	1		EPO; JPO;	
1	1		DERWENT; IBM TDB	
_	0	   @pd<20010101 and "not read" and user adj	USPAT;	2003/10/20
1		status and notif\$	US-PGPUB;	13:31
			EPO; JPO;	
1			DERWENT;	
İ_	10	@pd<20010101 and unread and user adj	IBM_TDB USPAT;	2003/10/20
		status and notif\$	US-PGPUB;	13:36
		•	EPO; JPO;	
			DERWENT;	
_		   @pd<20010101 and change adj status near	IBM_TDB USPAT;	2003/10/20
-		unread and notif\$	US-PGPUB;	13:37
		,	EPO; JPO;	
			DERWENT;	
		@pd<20010101 and status near unread and	IBM_TDB   USPAT;	2003/10/20
-	·	notif\$	US-PGPUB;	13:39
			EPO; JPO;	
	}		DERWENT;	
	0	and 20010101 and /modifice on the analysis	IBM_TDB	2003/10/20
-		<pre>@pd&lt;20010101 and (modify or change) same status near (unread or "not read") and</pre>	USPAT; US-PGPUB;	13:41
		notif\$ same email	EPO; JPO;	
			DERWENT;	
		and 20010101 and /madifice are about 1	IBM_TDB	2002/10/20
1	3	<pre>@pd&lt;20010101 and (modify or change) same status and (unread or "not read") and</pre>	USPAT; US-PGPUB;	2003/10/20
		notif\$ same email	EPO; JPO;	-5.52
			DERWENT;	
		0.1.00010101	IBM_TDB	2002/10/00
-	0	@pd<20010101 and "not read" near status	USPAT; US-PGPUB;	2003/10/20 13:52
			EPO; JPO;	13.32
			DERWENT;	
1			IBM_TDB	
-	0	<pre>@pd&lt;20010101 and "not read" same status</pre>	USPAT;	2003/10/20
			US-PGPUB; EPO; JPO;	13:52
1			DERWENT;	
			IBM_TDB	
-	14	@pd<20010101 and unread near status	USPAT;	2003/10/20
			US-PGPUB; EPO; JPO;	14:38
1			DERWENT;	
			IBM TDB	
		<del></del>		·

Search History 10/20/03 3:52:54 PM Page 3